



RECEIVED

DEC 04 2003

Patent Application  
Docket No. UF-293  
Serial No. 10/036,988

TECH CENTER 1800/2900

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner : Brian Yong S. Kwon  
Art Unit : 1614  
Applicant : Roger L. Papke  
Serial No. : 10/036,988  
Filed : December 31, 2001  
For : Compositions and Methods for Treatment of Neurological Disorders

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

DECLARATION OF ROGER L. PAPKE, Ph.D., UNDER 37 C.F.R. § 1.132

Sir:

I, Roger L. Papke, Ph.D., of the University of Florida, Department of Pharmacology and Therapeutics, hereby declare:

THAT, I am the named inventor on the above-referenced patent application;

THAT, I have received the following degrees:

Ph.D. Neurobiology and Behavior	1987	Cornell University, Ithaca, NY
M.S. Physiology	1976	New York University, NY, NY
B.A. Biology and Classics	1975	New York University, NY, NY

THAT, I have been employed professionally as follows:

1987	Postdoctoral Research Associate: Department of Pharmacology, Cornell University
1987	Lecturer: Department of Neurobiology and Behavior, Cornell University
1988-1993	Postdoctoral Research Fellow: Molecular Neurobiology Laboratory, Salk Institute

1993-1998	Assistant Professor: Department of Pharmacology and Therapeutics, University of Florida
1994-1998	Affiliate Assistant Professor: Department of Neuroscience University of Florida
1998-present	Associate Professor: Department of Pharmacology and Therapeutics, University of Florida
1998-present	Affiliate Associate Professor: Department of Neuroscience University of Florida

THAT, I have published extensively in my field and some of the publications are as follows:

1. Roger L. Papke and Robert E. Oswald. 1986. Effects of allosteric ligands on the gating of single channel currents in bc3h-1 cells. N.A.T.O. *Advanced Research Workshop Mechanism of Action of The Nicotinic Acetylcholine Receptor*, Santorini, Greece. NATO ASI Series Vol. H3 Ed. A. Maelicke Springer-Verlag, Berlin.
2. S. Heinemann, J. Boulter, E. Deneris, J. Connelly, R. Duvoisin, R. Papke, and J. Patrick. 1989. The brain nicotinic acetylcholine receptor gene family. *Cell and Molecular Biology of Neuroplasticity in Aging and Alzheimer's Disease, Conference Proceedings*. Bethesda, Maryland, May 1-3, 1989.
3. S. Heinemann, J. Boulter, J. Connelly, E. Deneris, R. Duvoisin, M. Hartley, I. Hermans-Borgmeyer, M. Hollmann, A. O'Shea-Greenfield, R. Papke, S. Rogers, and J. Patrick. 1989. The brain nicotinic receptor genes. *Molecular Approaches to Drug Abuse Research. N.I.D.A. Conference Proceedings*. Bethesda, Maryland, August 24-25, 1989.
4. S. Heinemann, J. Boulter, J. Connelly, E. Deneris, R. Duvoisin, M. Hartley, I. Hermans-Borgmeyer, M. Hollmann, A. O'Shea-Greenfield, R. Papke, S. Rogers, and J. Patrick. 1989. The nicotinic receptor genes. *Hoechst-Roussel Pharmaceuticals Research Seminar. Conference Proceedings*. Hershey Pennsylvania, October 25, 1989.
5. Roger L. Papke. 1993. The kinetic properties of neuronal nicotinic receptors: Genetic basis of functional diversity. *Progress in Neurobiology* 41:509-531.

6. Roger L. Papke, Christopher M. de Fiebre, William Kem, and Edwin M. Meyer. 1994. The subunit specific effects of novel anabaseine-derived nicotinic agents. Proceedings of the Third International Springfield Alzheimer Symposium. Springfield Illinois May 11- 15 1994. Editors: E. Giacobini and R. Becker. Birkhauser Boston publishers.
7. R.H. Lenox, R.K. McNamara, R.L. Papke and H. Manji, 1998. Neurobiology of lithium: an update. *Journal of Clinical Psychiatry*, 58(supplement 6): 37-47.
8. Anatolii Y. Kabakov and Roger L. Papke, 1998. Ultra fast solution applications for prolonged gap-free recordings: Controlling a Burleigh piezo-electric positioner with Clampex7. *Axobits* Jan. 1998 24:6-9.
9. Michael M. Francis, and Roger L. Papke, 2000. The functional diversity of nicotinic receptors in the nervous system: perspectives on receptor subtypes and receptor specialization *Handbook of Experimental Pharmacology* 144: 301-336.
10. Roger L. Papke, 1999. Single channel analysis in pClamp 8. *Axobits* October, 1999 27:7-12.
11. Roger L. Papke, 1999. Neuronal Nicotinic Receptors: From Structure to Therapeutics. Meeting report. *Investigational Drugs, weekly highlights*. 48:37-41
12. Roger L. Papke and Julia K. Porter Papke. 2002. The Use of Net-Charge Analysis for the Study of Ion Channel Pharmacology. *Axobits* November 2002 36:6-9
13. Roger L. Papke, Patrick W. Concannon, Hugh F. Travis and William Hansel. 1980. Control of luteal function and implantation in the mink by prolactin. *Journal of Animal Science* 50(6):1102-1107.
14. Roger L. Papke, Tom R. Podleski and Robert Oswald. 1986. Effects of pineal factors on the action potentials of sympathetic neurons. *Cellular and Molecular Neurobiology* 6(4):381-396.
15. Roger L. Papke, Glenn Millhauser, Zorba Lieberman and Robert Oswald. 1988. Relationships of agonist properties to the activation kinetics of nicotinic acetylcholine receptors. *Biophysical Journal* 53(1):1-10.
16. Robert E. Oswald, Roger L. Papke and Ronald J. Lukas. 1989. Characterization of nicotinic acetylcholine receptor channels of the TE671 human medulloblastoma cell line. *Neuroscience letters*. 96:207-212.

17. Roger L. Papke and Robert E. Oswald. 1989. Mechanisms of noncompetitive inhibition of acetylcholine-induced single channel currents. *Journal of Geneneral Physiology* 93:785-811.
18. Roger L. Papke, Jim Boulter, Jim Patrick, and Steve Heinemann. 1989. Single channel currents of rat neuronal nicotinic acetylcholine receptors expressed in *Xenopus laevis* oocytes. *Neuron* 3(5):589-596.
19. Scott W. Rogers, Lorise C. Gahring, Roger L. Papke, and Stephen Heinemann. 1991. Identification of cultured cells expressing ligand-gated cationic channels. *Protein Expression and Purification* 2:108-116.
20. Roger L. Papke, and Steve F. Heinemann. 1991. The role of the  $\beta 4$  subunit in determining the kinetic properties of rat neuronal nicotinic acetylcholine  $\alpha 3$  receptors. *Journal of Physiology, London* 440:95-112.
21. Roger L. Papke, Robert M. Duvoisin, and Stephen F. Heinemann. 1993. The amino terminal half of the nicotinic  $\beta$  subunit extracellular domain regulates the kinetics of inhibition by neuronal-bungarotoxin. *Proceedings of the Royal Society, (London), Series B* 252:141-147.
22. Roger L. Papke, and Steve F. Heinemann. 1994. The partial agonist properties of cytisine on neuronal nicotinic receptors containing the  $\beta 2$  subunit. *Molecular Pharmacology* 268:718-726.
23. Roger L. Papke, A. Grey Craig, and Steve F. Heinemann. 1994. Inhibition of nicotinic acetylcholine receptors by bis (2, 2, 6, 6, - tetramethyl-4-piperidiny) sebacate (Tinuvin® 770), an additive to medical plastics. *Journal of Pharmacology and Experimental Therapeutics* 268:718-726.
24. Bruce E. Hunter, Christopher M. de Fiebre, Roger L. Papke, William R. Kem, and Edwin M. Meyer. 1994. A novel nicotinic agonist facilitates induction of long-term potentiation in the rat hippocampus. *Neuroscience Letters* 168:130-134.
25. Christopher M. de Fiebre, Edwin M. Meyer, Jeffrey C. Henry, Samuel I. Muraskin, William R. Kem and Roger L. Papke. 1995. Characterization of a series of anabaseine-derived compounds reveals that the 3-(4)-dimethylaminocinnamylidene derivative (DMAC) is a selective agonist at neuronal nicotinic  $\alpha 7/[^{125}\text{I}]\text{a-bungarotoxin}$  receptor subtypes. *Molecular Pharmacology* 47:164-171.

26. D.H. Feldman, J.S. Thinschmidt, A.L. Peel, R. L. Papke, and P.J. Reier. 1996. Differentiation of ionic currents in CNS progenitor cells: Dependence upon substrate attachment and epidermal growth factor. *Experimental Neurology* 140(2):206-17.
27. Michael M. Francis and Roger L. Papke. 1996. Muscle-type nicotinic acetylcholine receptor delta subunit determines sensitivity to noncompetitive inhibitors while gamma subunit regulates divalent permeability. *Neuropharmacology* 35:1547-1556.
28. R. L. Papke, M. Bencherif, and P. Lippiello. 1996. An evaluation of neuronal nicotinic acetylcholine receptor activation by quaternary nitrogen compounds indicates that choline is selective for the  $\alpha 7$  subtype. *Neuroscience Letters* 213:201-204.
29. R. L. Papke, J. S. Thinschmidt, B. A. Moulton, E. M. Meyer, and A. Poirier. 1996. Activation and inhibition of rat neuronal nicotinic receptors by ABT-418. *British Journal of Pharmacology* 120:429-438.
30. William R. Kem, Vladimir M. Mahnir, Roger L. Papke and Christopher J. Lingle. 1997. Anabaseine is a potent agonist upon muscle and neuronal alpha-bungarotoxin sensitive nicotinic receptors *Journal of Pharmacology and Experimental Therapeutics*, 283:979-992.
31. E. M. Meyer, E. T. Tay, R. L. Papke, C. Meyers, G. Huang, and C. M. de Fiebre. 1997. Effects of 3-[2,4-dimethoxybenzylidene]anabaseine (DMXB) on rat nicotinic receptors and memory-related behaviors. *Brain Research*, 768(1-2):49-56.
32. Anatolii Y. Kabakov, Nikolas B. Karkanas, Robert H. Lenox, and Roger L. Papke. 1998. Synapse specific accumulation of lithium in intracellular microdomains: A model for uncoupling coincidence detection in the brain. *Synapse*, 28:271-279
33. M. M. Francis, K. Il Choi, B. A. Horenstein and R. L. Papke. 1998 Sensitivity to voltage-independent inhibition determined by pore-lining region of ACh receptor. *Biophysical Journal*, 74:2306-2317
34. Edwin M. Meyer, Ee Tein Tay, John A. Zoltewicz, Roger L. Papke, Craig Meyers, Mike King, and Christopher M. de Fiebre. 1998 Neuroprotective and memory-related actions of novel  $\alpha 7$  nicotinic agents with different mixed agonist/antagonist properties. *Journal. of Pharmacology and Experimental Therapeutics* 284:1026-1032
35. Edwin Meyer, Alexander Kuryatov, Volodymyr Gerzanich, Jon Lindstrom and Roger L. Papke. 1998. Analysis of 40H-GTS-21 Selectivity and Activity at Human and Rat  $\alpha 7$  Nicotinic Receptors. *Journal of Pharmacology and Experimental Therapeutics*, 287(3):918-25

36. Jose R. Gomez, Nikolas B. Karkanias, Robert H. Lenox, and Roger L. Papke, 1998. Lithium Homeostasis In *Xenopus* Oocytes: Implications For The Study Of Signal Transduction. *Life Sciences* 63(19):1715-1724.
37. Roger L. Papke, and Jeffrey S. Thinschmidt. 1998. The Correction of Alpha7 Nicotinic Acetylcholine Receptor Concentration-Response Relationships in *Xenopus* Oocytes. *Neuroscience Letters* 256(3):163-166.
38. Yangxin Li, Roger L. Papke, Yun-Ju He, Bill Millard, and Edwin M. Meyer . 1999. Characterization of the neuroprotective and toxic effects of  $\alpha 7$  nicotinic receptor activation in PC12 cells. *Brain Research*, 830(2):218-25.
39. Nikolas B. Karkanias and Roger L. Papke. 1999. Subtype specific effects of lithium on Glutamate receptor function. *Journal of Neurophysiology*, 81(4):1506-12
40. J. Christopher Webster, Michael M. Francis, Julia K. Porter, Gillian Robinson, Clare Stokes, Ben Horenstein, and Roger L. Papke, 1999. Antagonist activities of mecamylamine and nicotine show reciprocal dependence on beta subunit sequence in the second transmembrane domain. *British Journal of Pharmacology*, 127:1337-48.
41. Nikolas B. Karkanias and Roger L. Papke, 1999. Lithium Modulates Desensitization of the Glutamate Receptor Subtype GluR3. *Neuroscience Letters*, 277(3):153-6..
42. Roger L. Papke, Edwin Meyer, Tom Nutter, and Vladimir V. Uteshev , 2000. Alpha7-selective agonists and modes of alpha7 receptor activation. *European Journal of Pharmacology*, 393(1-3):179-195
43. Roger L. Papke, J. Christopher Webster, Patrick M. Lippiello Merouane Bencherif, and Michael M. Francis. 2000. The activation and inhibition of human nAChR by RJR-2403 indicate a selectivity for the  $\alpha 4 \beta 2$  receptor subtype. *Journal of Neurochemistry* 75(1)204-216.
44. M. M. Francis, R. W. Vazquez, R. L. Papke, and R. E. Oswald. 2000 Subtype-selective inhibition of neuronal nAChRs by cocaine is determined by the alpha4 and beta4 subunits. *Molecular Pharmacology*, 58(1):109-19.
45. Roger L. Papke, Paul R. Sanberg, R. Douglas Shytle, 2001. Analysis of Mecamylamine Stereoisomers on Human Nicotinic Receptor Subtypes. *Journal of Pharmacology and Experimental Therapeutics*, 297:646-656.

46. Roger L. Papke, Benjamin A. Horenstein, and Andon N. Placzek 2001. Inhibition of Wild-Type and Mutant Neuronal Nicotinic Acetylcholine Receptors by Local Anesthetics. *Molecular Pharmacology* **60**(6):1365-1374.
  47. Simon M. N. Efange, Zhude Tu, Krystyna von Hohenberg, Lynn Francesconi, Robertha C. Howell, Marilyn V. Rampersad, Louis J. Todaro, Roger L. Papke, and Mei-Ping Kung. 2001. 2-(2-Piperidyl)- and 2-(2-Pyrrolidyl)chromans as Nicotine Agonists: Synthesis and Preliminary Pharmacological Characterization. *Journal of Medicinal Chemistry* **44**(26):4704-4715.
  48. Roger L. Papke 2002. Enhanced inhibition of a mutant neuronal nAChR by agonists: protection of function by TC-2403. *Journal of Pharmacology and Experimental Therapeutics* **301**(2):765-773.
  49. Daisuke Takeda, Terumasa Nakatsuka, Roger Papke, Jianguo Gu 2003 Modulation of inhibitory synaptic activity by a non- $\alpha 4\beta 2$ , non- $\alpha 7$  subtype of nicotinic receptors in the substantia gelatinosa of adult rat spinal cord. *Pain* **101**:13-23
  50. Vladimir V. Uteshev, Edwin M. Meyer and Roger L. Papke. 2002 Activation and inhibition of native neuronal alpha-bungarotoxin-sensitive nicotinic ACh receptors. *Brain Research*, **948**(1-2):33-46.
  51. Roger L. Papke and Julia K. Porter Papke. 2002 Comparative pharmacology of rat and human  $\alpha 7$  nAChR conducted with net charge analysis. *British Journal of Pharmacology* **137**(1):49-61.
  52. Vladimir V. Uteshev, Edwin M. Meyer, and Roger L. Papke. 2003. Regulation of neuronal function by choline and 4OH-GTS-21 through  $\alpha 7$  nicotinic receptors. *Journal of Neurophysiology*, **89**(4):1797-1806.
  53. Charles J. Frazier, Ben W. Strowbridge, and Roger L. Papke. 2003 Nicotinic acetylcholine receptors on local circuit neurons in the dentate gyrus: a potential role in the regulation of granule cell excitability. *Journal of Neurophysiology*, **89**(6):3018-28.
  54. Patrick W. Concannon, Tom Pilbeam, Roger L. Papke, Hugh Travis. 1978. Annual reproductive cycle of the mink (*Mustela vison*). *Program of the Annual Conference of the Society for the Study of Fertility*. Page 20, Cambridge.
  55. Roger L. Papke and Robert E. Oswald. 1986. Effects of tetracaine on the burst durations and voltage dependence of nicotinic acetylcholine receptors from BC3H-1 cells. *16th Annual Meeting of the Society for Neuroscience*.
-

56. Roger L. Papke, Glenn Millhauser, Zorba Lieberman and Robert Oswald. 1987. The relationship of agonist properties to the activation kinetics of the nicotinic acetylcholine receptor. *17th Annual Meeting of the Society for Neuroscience*.
57. R.E. Oswald, R.L. Papke and R.J. Lukas. 1988. Characterization of nicotinic acetylcholine receptor channels of the TE671 human medulloblastoma cell line. *32nd Annual Meeting of the Biophysical Society*.
58. Steve Heinemann, Jim Boulter, Evan Deneris, John Connelly, Roger Papke, Etsuko Wada, Keiji Wada, Marc Ballivet, Larry Swanson, and Jim Patrick. 1988. The nicotinic acetylcholine receptor gene family. *N.A.T.O. Advanced Research Workshop on Nicotinic Acetylcholine Receptors in the Nervous System*. Venice, Italy, April 1988.
59. R. L. Papke, R. Duvoisin, J. Boulter, and S. Heinemann. 1989. The possible importance of the neuronal nicotinic subunit  $\beta_4$  to the kinetic properties of the adrenal chromaffin cell AChR. *19th Annual Meeting of the Society for Neuroscience*. 333.12
60. Jim Boulter, John Connelly, Evan Deneris, Robert Duvoisin, Roger Papke, Jim Patrick and Steve Heinemann 1989. Molecular biology of neuronal nicotinic acetylcholine receptors. *International Brain Research Organization and The Israel Academy of Sciences and Humanities Symposium on Cellular Neurobiology: Ions, Molecules, and Genes*. Jerusalem, Israel. October 23-25, 1989
61. S. Heinemann, J. Boulter, J. Connelly, E. Deneris, R. Duvoisin, M. Hartley, I. Hermans-Borgmeyer, M. Hollmann, D. Johnson, A. O'Shea-Greenfield, R. Papke, and S. Rogers 1990. The glutamate and nicotinic receptor genes. *The 34th annual meeting of The Biophysical Society*. Baltimore. MD February 18-22 1990. *Biophysical J.* 57:Tu-AM-Sym I-1.
62. S. Heinemann, B. Bettler, J. Boulter, E. Deneris, R. Duvoisin, G. Gasic, M. Hartley, I. Hermans-Borgmeyer, M. Hollmann, D. Johnson, A. O'Shea-Greenfield, R. Papke, and S. Rogers 1990. The glutamate receptor gene family. *The Cold Springs Harbor 55th Symposium on Quantitative Biology: The Brain*. Cold Springs Harbor, N.Y. May 30 -June 6, 1990.
63. B. Bettler, J. Boulter, E. Deneris, I. Hermans-Borgmeyer, A. O'Shea-Greenfield, M. Hartley, C. Moll, R. Papke, and S. Heinemann. 1990. Molecular structure and expression of rat glutamate receptors. *20th Annual Meeting of the Society for Neuroscience*.



64. Roger L. Papke, Robert Duvoisin, and Stephen F. Heinemann. 1991. The extracellular domain of the neuronal nicotinic subunit  $\beta 4$  determines the pharmacology of receptors formed with  $\alpha 3$ . *21th Annual Meeting of the Society for Neuroscience*. 534.12
  65. W. R. Kem and R. L. Papke. 1992. Action of anabaseine and DMAB-anabaseine upon the  $\alpha 4\beta 2$  and PC12 cell nicotinic receptors. *22th Annual Meeting of the Society for Neuroscience*. 569.19
  66. Roger L. Papke. 1993. Use-dependent inhibition of neuronal nicotinic AChR by Tinuvin® 770 (bis (2, 2, 6, 6, - tetramethyl-4-piperidiny) sebacate), A possible additive to laboratory plastics. *37th Annual Meeting of the Biophysical Society*. 64: WED P-421
  67. Roger L. Papke, Christopher M. de Fiebre, Bruce E. Hunter, William R. Kem, and Edwin M. Meyer. 1993. DMXB, a novel nicotinic ligand which modulates hippocampal LTP, has agonist and antagonist effects on nicotinic  $\alpha 7$  receptors. *23th Annual Meeting of the Society for Neuroscience*. 120.8
  68. Roger L. Papke, Wayne Gottlieb, Ben Horenstein, and Michael Francis. 1994. Bridging the nicotinic acetylcholine receptor channel: prolonged inhibition associated with use-dependent binding of a bi-functional inhibitor. *24th Annual Meeting of the Society for Neuroscience*. 463.12
  69. C.M. de Fiebre, R.L. Papke and E.M. Meyer. 1995. Effects of ethanol on neuronal nicotinic receptors expressed in *Xenopus* oocytes. *25th Annual Meeting of the Society for Neuroscience*. 206.8
  70. D.H. Feldman, J.S. Thinschmidt, A.L. Peel, R.L. Papke, and P.J. Reier. 1995. Differentiation of ionic currents in CNS progenitor cells. *25th Annual Meeting of the Society for Neuroscience*. 122.5
  71. R.L. Papke, C.M. de Fiebre, B.A. Moulton, J.S. Thinschmidt, R. Quintana<sup>1</sup>, and E.M. Meyer. 1995. Activation and inhibition of neuronal nAChRs by potential therapeutic agents. *25th Annual Meeting of the Society for Neuroscience*. 247.14
  72. M. M. Francis, R. Quintana, and R.L. Papke 1995. Common structural determinants of physiological and pharmacological properties in nAChR. *25th Annual Meeting of the Society for Neuroscience*. 36.2
  73. N.B. Karkanias, R.H. Lenox, and R.L. Papke. 1995. Interactions between lithium and neuronal nicotinic receptors: Potential significance for the clinical use of lithium. *25th Annual Meeting of the Society for Neuroscience*. 33.19
-

74. J. Watterson, P. Lippiello, M. Bencherif, and R. L. Papke. 1996 In vitro activation of  $\alpha 4 \beta 2$  nAChR by RJR-2403 suggests differential desensitization by nicotine. *26th Annual Meeting of the Society for Neuroscience*. 503.23
75. M. M. Francis, Kyung Choi, Ben Horenstein and R.L. Papke. 1996 The disposition of use-dependent binding sites in nAChR. *26th Annual Meeting of the Society for Neuroscience*. 602.4
76. R.L. Papke, E. M. Meyer, and C.M. de Fiebre. Differential discrimination between human and rat  $\alpha 7$  nAChR by GTS-21 and its primary metabolite, 4-OH,2 methoxybenzylidene anabascine. *26th Annual Meeting of the Society for Neuroscience*. 602.3
77. Anatolii Y. Kabakov, Nikolas B. Karkanas and Roger L. Papke. Estimation of lithium diffusion in dendritic spines during activation of glutamate receptors. *1997 Biophysical Journal* 72 (2) A118.
78. R.L. Papke, M.M. Francis and J.S. Thinschmidt, Techniques for improved resolution of kinetic data from macroscopic currents. *1997 Biophysical Journal* 72 (2) A41.
79. M.M. Francis, K.S. Clark and R.L. Papke, 1997 Role of  $\alpha 5$  subunit in determining relationship of peak to late-phase current in human  $\alpha 3 \beta 2 \alpha 5$  neuronal nicotinic acetylcholine receptors. *27th Annual Meeting of the Society for Neuroscience*.
80. K. Sawh and R. L. Papke, 1997. Effects of subunit composition on nicotinic AChR inhibition by hexamethonium and decamethonium: dissociation of sensitivity and mechanism. *27th Annual Meeting of the Society for Neuroscience*.
81. N.B. Karkanas, A.Y. Kabakov and R.L. Papke, 1997. Lithium differentially affects glutamate receptors. *27th Annual Meeting of the Society for Neuroscience*.
82. Anatolii Y. Kabakov and Roger L. Papke, 1998. Kinetics Of BTMPS Block Of Expressed Muscle nAChR in Outside-Out Patches: High Resolution Analysis Of A Slow Process. *Biophysical Journal* 73 (2)
83. R.L. Papke, J. C. Webster, P. M. Lippiello, M. Bencherif, and M. M. Francis, 1998. RJR-2403 is an efficacious agonist for human  $\alpha 4 \beta 2$  neuronal nicotinic acetylcholine receptors with lower efficacy for other human receptor subtypes. *28th Annual Meeting of the Society for Neuroscience*. 39.26

84. J.C. Webster, M.M. Francis, and R.L. Papke, 1998. Differential sensitivity to the antagonist effects of mecamylamine and nicotine regulated by the AChR beta subunit TM2 domain. *28th Annual Meeting of the Society for Neuroscience* 332.19.
  85. N.B Karkanias and R.L. Papke, 1998. Potential mechanism for the effect of lithium on AMPA receptors. *28th Annual Meeting of the Society for Neuroscience*.44.17
  86. E.M. Meyer, Y. Li, W.J. Millard, Y.J. He, and R.L. Papke, 1998. Neuroprotection, neurotoxicity and selective  $\alpha 7$  nicotinic receptor activation. *28th Annual Meeting of the Society for Neuroscience*. 331.7
  87. Ed Meyer, Viviana Puig, Craig Meyers, Valdimir Uteshev, Tom Nutter and Roger L. Papke, 1999. Selective  $\alpha 7$  nicotinic receptor agonists DMXB and 4OH DMXB protect against amyloid toxicity and increase bcl-2 immunoreactivity: role of PKC. *29th Annual Meeting of the Society for Neuroscience*. 394.18.
  88. Michael M. Francis, Raymond Vazquez, Roger L. Papke and Robert E. Oswald, 1999. Subtype-selective inhibition of neuronal nicotinic acetylcholine receptors by cocaine. *29th Annual Meeting of the Society for Neuroscience*.497.13.
  89. R.L. Papke, and J. K. Porter, 1999. Potential control of steric and allosteric inhibition by residues in the AChR beta subunit TM2 domain. *29th Annual Meeting of the Society for Neuroscience*. 497.12
  90. V. V. Uteshev, E. Meyer and R. L. Papke, 2000. Desensitization kinetics of  $\alpha 7$  neuronal nicotinic receptors of the histamine neurons of the rat hypothalamus. *Biophysical Journal* 75(2): 2116
  91. V. V. Uteshev, E. Meyer and R. L. Papke, 2000. Kinetic analysis of  $\alpha 7$  nAChR fast desensitization in acutely dissociated neurons: Implications for therapeutics. *30th Annual Meeting of the Society for Neuroscience*.
  92. V. V. Uteshev, E. Meyer, and R. L. Papke, 2000 Kinetic analysis of  $\alpha 7$  nAChR fast desensitization in acutely dissociated hypothalamic neurons: implications for therapeutics. *Benzon Symposium No. 47, Molecular Pharmacology of Ion Channels*. August 13-17, 2000 Copenhagen, Denmark
  93. R. L. Papke, P. R. Sanberg, R. D. Shytle, 2000 Analysis of Mecamylamine Stereoisomers on Human Nicotinic Receptor Subtypes *Neuronal Nicotinic Receptors - The 10th Neuropharmacology Conference* - November 2-4, 2000 New Orleans, USA
-

94. Placzek and R. L. Papke, 2001. Modulatory Sites In The Second Transmembrane Domain Of The  $\alpha 7$  nAChR Subunit. *31st Annual Meeting of the Society for Neuroscience*.
  95. V.V. Uteshev E.M. Meyer, L. Prokai and R.L. Papke, 2001. Choline Regulates  $\alpha$ -Bungarotoxin Sensitive  $\alpha 7$ -Type Nicotinic Receptor Functioning In A Dynamic Manner In The Hypothalamic Slices. *31st Annual Meeting of the Society for Neuroscience*.
  96. M. Nelson, R. Papke, E. Costa, J.I. Javaid, 2001. 3-(4-Hydroxy, 2-Methoxybenzylidene) Anabascine, A Specific Agonist Of Alpha-7 Homomeric Nicotinic Acetylcholine Receptors, Releases Striatal Dopamine Without Causing A Long Term Inhibition Of DA Release. *31st Annual Meeting of the Society for Neuroscience*.
  97. J.H. Graham, R.L. Papke, and J.J. Buccafusco, 2001. Potential Central Activity Of Tinuvlin, A Novel Nicotinic Receptor Antagonist. *31st Annual Meeting of the Society for Neuroscience*.
  98. R. L. Papke and V. V. Uteshev. Choline regulates the function of CNS neurons via alpha7 receptor activation/desensitization. *Third Forum of European Neuroscience 2002 Paris France*. P114
  99. R. L. Papke and C. Stokes. Connecting animal studies to therapeutics: defining the structural basis for drug selectivity between human and rat nicotinic receptors. *8<sup>th</sup> International Conference on Alzheimer's Disease and Related Disorders*. 2002, Stockholm, Sweden. P1:435
  100. W. Kem, V. Mahnir, L. Prokai, X. Cao, R. L. Papke, J. Porter-Papke, S. Michalski, K. Wildeboer, K. Prokai-Tatrai, F. Soti 2002 Hydroxy metabolites of the Alzheimer's drug candidate DMXBBA (GTS-21): A comparison of their chemical properties, brain penetration and interactions with brain nicotinic receptors. *8<sup>th</sup> International Conference on Alzheimer's Disease and Related Disorders*. 2002, Stockholm, Sweden. P1:455
  101. C.J. Frazier, B.W. Strowbridge, and R.L. Papke 2002 Characterization Of Neuronal Nicotinic Acetylcholine Receptors In Rat Dentate Gyrus. *32nd Annual Meeting of the Society for Neuroscience*.
  102. R. L. Papke J. K. Papke and C. Stokes. 2002 The structural basis for drug selectivity between human and rat nicotinic alpha7 receptors. *32nd Annual Meeting of the Society for Neuroscience*.
-

103. A Placzek and R. L. Papke 2002 Single TM2 domain point mutations confer properties of beta subunit-containing receptors to mutant  $\alpha 7$  nAChRs *32nd Annual Meeting of the Society for Neuroscience*.
  104. R. L. Papke, J. K. Porter-Papke, T. J. McCormack, W.I Kern and C. Stokes. 2003. Alpha7 selective agonists and the structural basis for drug selectivity between human and rat nicotinic alpha7 receptors. *Neuronal Nicotinic Receptors and Ligands: Targets for Medications* NIDA conference CPDD Bal Harbor, Florida
  105. K.M. Wildeboer; S.E. LeFrancois; R.L. Papke; F. Soti; W.R. Kern 2003 Nicotine analogs as selective ligands for  $\beta 2$ -containing nicotinic acetylcholine receptors *33rd Annual Meeting of the Society for Neuroscience*.
  106. V. V. Uteshev and R. L. Papke 2003 Analysis of  $\alpha 7$  nicotinic AChR kinetics in the histaminergic nucleus of the posterior hypothalamus. *33rd Annual Meeting of the Society for Neuroscience*.
  107. R. L. Papke, M. M. Francis, K. Il Choi, B. A. Horenstein and M. I. Damaj 2003 *In vitro* and *in vivo* characterization of a novel and selective inhibitor of CNS nicotinic receptors . *33rd Annual Meeting of the Society for Neuroscience*.
  108. J.S. Thinschmidt C.J. Frazier M.A. King' E.M. Meyer K. WU R.L. Papke. 2003. Hippocampal  $\alpha 7$  nicotinic receptor expression is regulated by septal innervation. *33rd Annual Meeting of the Society for Neuroscience*
  109. K. Ren, CA Meyers, C. Stokes, V. Uteshev, R.L. Papke, J.A. Hughes, E.M. Meyer. 2003 Genetic and pharmacological modulation of nicotinic alpha7 receptor function. *33rd Annual Meeting of the Society for Neuroscience*
  110. M.B. Marrero, R.L. Papke, B.S. Bhatti, S. Shaw, and M. Bencherif. 2003 The neuroprotective effect of tc-1698, a novel alpha7 ligand, is prevented through angiotensin II activation of a tyrosine phosphatase. *33rd Annual Meeting of the Society for Neuroscience*.
  111. C.J. Frazier, and R.L. Papke 2003. Activation Of  $\alpha 7$  Nicotinic Receptors Can Contribute To Induction Of A Muscarinic Afterdepolarization In Dentate Mossy Cells. *33rd Annual Meeting of the Society for Neuroscience*
  112. A.N. Placzek, E. M. Meyer, T.A.S. Papke, & R.L. Papke. 2003. A single residue in the  $\alpha 7$  nicotinic acetylcholine receptor tm2 domain is required for potentiation by 5-hydroxyindole. *33rd Annual Meeting of the Society for Neuroscience*
-

113. J. Dominy, J. Thinschmidt, J. Peris, R. Dawson, R. L. Papke 2003. An Apparent Dissociation Between Intracellular Taurine Content and Long-Lasting Potentiation in the Rat Hippocampus *33rd Annual Meeting of the Society for Neuroscience*

THAT, through my years of research, I have kept up to date on the technical literature and maintained contact with experts in the field by participating in professional meetings and seminars, and by direct personal contact. As a result, I am familiar with the general level of skill of those working in the fields of molecular biology and pharmacology, and particularly as they relate to nicotinic acetylcholine receptors;

THAT, I have read and understood the specification and claims of the subject application and the Office Action dated August 26, 2003;

AND, being thus duly qualified, do further declare:

The Office Action indicates that because the Crooks *et al.* patent teaches the administration of metanicotine to treat Alzheimer's disease (AD) and the Newhouse *et al.* publication teaches the administration of ABT-418 to treat AD, it would have been obvious to combine the two therapies to treat AD.

Numerous nicotinic agonists, including nicotine itself, GTS-21, metanicotine (TC-2403), ABT-418, ABT-089 and SIB-1553A have been proposed as therapeutic agents for CNS indications, such as AD, Parkinson's disease, pain, and schizophrenia. All of these compounds have been characterized as agonists or partial agonists for select nAChR subtypes. Additionally, all of the aforementioned compounds, with the exception of metanicotine, produce varying amounts of residual inhibition (or protracted desensitization), making them in fact mixed agonists-antagonists, as described in paragraphs 0026 and 0027 of the specification. My laboratory has previously shown that metanicotine selectively activates the high affinity  $\alpha 4 \beta 2$  nAChR subtype with little agonist activity on the  $\alpha 7$  subtype (Papke RL, *et al.*, "The activation and inhibition of human nicotinic acetylcholine receptor by RJR-2403 indicate a selectivity for the  $\alpha 4 \beta 2$  receptor subtype" *J. Neurochem.*, 75(1):204-16, July 2000). Although metanicotine was once proposed to be

---

a potential drug for the treatment of AD (as indicated in the Crooks *et al.* patent), recent studies have suggested that the appropriate molecular target for this indication is in fact the alpha7 receptor (Kem WR "The brain alpha7 nicotinic receptor may be an important therapeutic target for the treatment of Alzheimer's disease: studies with DMXBA (GTS-21)" *Behav. Brain. Res.*, 113(1-2):169-81, August 2000), which metanicotine does not effectively stimulate. Thus, based upon what was known of metanicotine's activity from the scientific literature at the time the subject patent application was filed, there would be no reason to administer metanicotine to treat AD. The compounds ABT-418 and GTS-21 do activate alpha7 receptors, with profiles of activity that are non-selective for alpha7 and selective for alpha7, respectively. However, while the activity on alpha7 receptors makes ABT-418 and GTS-21 candidate drugs for AD, their usefulness would be limited by their residual antagonist activity, which restricts their effectiveness on alpha7 receptors and potentially would compromise other functions mediated by non-alpha7 receptors in the brain and peripheral nervous system.

The data in the subject patent application shows that the combination of metanicotine with compounds that are nAChR antagonists or mixed agonists-antagonists, such as ABT-418 and GTS-21, likely have a synergistic (*i.e.*, far more than additive) effect through the ability of metanicotine to diminish the otherwise concomitant antagonist activity of the other cholinergic antagonist or mixed agonist-antagonist. As demonstrated in Example 5 and Figures 6A and 6B of the subject patent application and the Papke (2002) publication (*J. Pharmacol. Exp. Ther.*, 301(2):765-773, 2002), which is submitted herewith, only co-application of metanicotine was effective at decreasing residual inhibition by mixed agonists-antagonists and protecting receptor function. This effect was not observed by the other agents tested (the local anesthetics QX-314 and tetracaine). Moreover, this ability of metanicotine to protect nAChR function from long-term inhibition by antagonists or mixed agonists-antagonists was not previously recognized in the scientific literature, and would not have been expected based upon the individual activities of metanicotine and the other compounds.


As indicated in paragraph 0014 of the subject patent application, the fact that metanicotine can protect nicotinic receptors from the inhibitory after-effects of other potentially therapeutic compounds is of great clinical significance. Co-administration of metanicotine with other

compounds can provide a means to tune a spectrum of effects to enhance receptor subtype-selective activation, thereby providing a more positive profile of effects.

The undersigned declares further that all statements made herein of his own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or of any patent issuing thereon.

Further declarant sayeth naught.

Signed:



Roger L. Papke, Ph.D.

Date:

Nov. 25, 2003